

Visit our Web-Site at www.domriesentinc.com

Phone # (559) 673-9143 Fax # (559) 673-4110

Madera, Ca 93638

Domreis Enterprises, Inc

12281 Rd 29

SERIES OFM-W WHEEL TYPE OFFSET DISC HARROWS SEMI FINISH DISC WING FOLD

PARTS & OPERATOR MANUAL

IMPORTANT! PLEASE READ!

TO OUR CUSTOMER – USER'S RESPONSIBILITY – WARRANTY

TO OUR CUSTOMER

The following pages and illustrations are printed to help supply you with the knowledge to better operate and service your new **DOMRIES** equipment.

We are proud to have you as a customer and feel you will be proud to be a **DOMRIES** owner.

Any piece of equipment needs, and must have a certain amount of service and maintenance to keep it in top running condition. We have attempted to cover all the adjustments required to fit most conditions; however, there may be times special care must be taken to fit a condition.

Study this operator's manual carefully and become acquainted with all the adjustments and operating procedures before attempting to operate your new equipment. Remember, it is a machine and has been designed and tested to do an efficient job in most operating conditions and will perform in relation to the service it receives.

If special attention is required for some conditions, ask your **DOMRIES** dealer; his Parts and Service Organization will be glad to help and answer any question on operation and service of your new machine.

ATTENTION! BECOME ALERT!

YOUR SAFETY IS INVOLVED

This symbol is used to call your attention to safety precautions that should be followed by the operator to avoid accidents. When you see this symbol – Heed Its Warning.

USER'S RESPONSIBILITY

It is the responsibility of the user to read the Operator's Manual and understand the safe and correct operating procedures as pertains to the operation of the product, and to lubricate and maintain the product according to the maintenance schedule in the Operator's Manual.

The user is responsible for inspecting his machine and for having parts repaired or replaced when continued use of the product would cause damage or excessive wear to other parts. It is the user's responsibility to deliver his machine to a **DOMRIES** dealer, for service or replacement of defective parts which are covered by the standard warranty. When requesting warranty service, you present your copy of delivery record.

MODEL# _____

SERIAL# _____

Safety Precautions



**ATTENTION! BECOME ALBERT!
YOUR SAFETY IS INVOLVED!**


This symbol is used to call your attention to safety precautions. That should be followed by the operator to avoid accidents. When you see this – Heed Its Warning.

Many hours of lost time and much suffering is caused by the failure to practice simple safety rules.

1. **READ** this manual carefully to acquaint your - self with the Disk Harrow. Opening unfamiliar equipment can cause accidents.
2. **LOWER IMPLEMENT** if possible, when adjusting maintenance work; otherwise **BLOCKS IT SECURELY** at a workable height.
3. When Implement and tractor are parked always lower disk to the ground and place a **FLAG OR OTHER WAARMING DEVICE** on each corner as someone could run or bump into the implement.
4. Implement should be **DETACHED ONLY** in an area where Children **DO NOT PLAY**.
5. **DO NOT** wear loose fitting clothing that could catch on various parts.
6. Machinery should be **OPERATED ONLY** by those who are **RESPONSIBLE AND DEEGATED** to do so.
7. **ONLY ONE PERSON** – the operator – should be permitted on the tractor when implement is in operation, he should be thoroughly familiar with tractor and implement.
8. **MAKE CERTAIN** that everyone is in clear before starting tractor and implement combination.
9. **BEFORE WORKING** under the any hydraulically controlled unit **IS SURE** it is **SECURELY BLOCKED**.
10. The **RATE OF SPEED** on hillsides or curves should be regulated so there is no danger of tipping.
11. **DO Not** drive too close to the edge of a ditch or creek.
12. **REDUCE SPEED** when transporting unit to avoid bouncing and momentary loss of steer ability.
13. **MAKE CERTAIN** tractor is equipped with sufficient front end weight to counter-balance the plow weight and maintain stability of front of tractor.
14. **DO NOT** attempt to operate tractor and implement unless you are in the diver seat.
15. **ALWAYS** place transmission in **PARK or NEUTRAL, LOCK BRAKES,STOP ENGINE AND REMOVE START KEY** before dismounting from the tractor.
16. **NEVER** stand between tractor and disc when hitching.
17. **PROVIDE** a first aid kit. Treat all scratches, cuts, etc. with proper antiseptic immediately.
18. If **DECALS** become damaged or come off, they should be replaced immediately.
19. **REMEMBER** that safe operation is no accident.

ON HIGHWAY OPERATION


- 1.** Use the **SLOW MOVING** vehicle emblem in daytime and approved warning lights at night, or during other periods of poor visibility, to prevent highway accidents.
- 2.** **COMPLY** with Local highway regulation concerning moving machinery on highways.
- 3.** **MAINTAIN** complete Control of machines at all times when traveling on the highway.
- 4.** Due to the width of the implement, **US EXTRA CAUTION** on highways, far lanes and when approaching gates.



HITCH ASSEMBLY

| REF# | PART # | DESCRIPTION | WT/LB. |
|------|------------------------------------|---|--------------------------------|
| 1 | OX-9 | BOLT - TURNBUCKLE, R.H. THRD. | 6.5 LBS. |
| 2 | OX-10 | BODY - TURNBUCKLE | 14.75 LBS. |
| 3 | OX-11 | BOLT - TURNBUCKLE, L.H. THRD. | 6.5 LBS. |
| 4 | OM-5 | CROSS MEMBER - HITCH | 490 .0 LBS. |
| 5 | ON-61 | PIN - HITCH | 5.5 LBS. |
| 6 | CS1312-5 LN1 | BOLT - 1" X 3 1/2" LG. GR. 5 LOCK NUT - 1" | 1.1 LBS. .1 LBS. |
| 7 | SC11412-8 N114 | BOLT - 1 1/4" X 12" LG. GR. 8 NUT-1 1/4" | N/A N/A |
| 8 | ON-139 CS12712-5 LW12 N12 | HOSE GUIDE W/ CLAMP BOLT - 1/2" X 7 1/2" LG. GR. 5 LOCK WASHER - 1/2" NUT-1/2" | 12 LBS. N/A N/A N/A |
| 9 | OX-7ME | DRAW BAR - HITCH, HVY. | 250 LBS. |
| 10 | OX-138 CS588-5 LW58 N58 | HITCH JACK -5000 LBS. (INC. MOUNTING PARTS) BOLT - 5/8" X 8" LG. GR. 5 LOCK WASHER - 5/8" NUT - 5/8" | 17.0 LBS. N/A N/A N/A |
| 11 | OX-8 OX-8C | TONGUE SINGLE, HVY. TONGUE CLEVIS, HVY. | 24 LBS. 23.5 LBS. |
| 12 | OX-126 LW114 N114 | BOLT - HITCH TONGUE LOCK WASHER - 1 1/4" NUT - 1 1/4" | 3.7 LBS. N/A N/A |


OMX-W-1



MAIN FRAME ASSEMBLY


| REF# | PART # | DESCRIPTION | WT/LB. |
|------|-----------------|---|-----------|
| 1 | OMX-W-1 | MAIN FRAME - 86" (WING DISC) | |
| 2 | ON-12 | HAMMER - LEVELING | 26.3 LBS. |
| 2a | CS1312-5 LN1 | BOLT - 1" X 3 1/2" LG. GR. 5 LOCK NUT - 1" | |
| 3 | ON-18 | LEVER - SWIVEL | 26.3 LBS. |
| 4 | ON-134 | PIN - ROCKER | 4.0 LBS |
| 5 | ONX-13 | LEVELING ROD - DUAL SPRING | 64.0 LBS |
| 5a | SN-112 | SLOTTED NUT - 1 1/2" COTTER PIN | |
| 6 | ON-150 | TUBE CRUSH SPRING | 2.5 LBS. |
| 7 | OX-14 (ON-14) | LEVELING SPRING | 7.0 LBS. |
| 8 | OX-50 | BLOCK - RETAINER | 20.0 LBS. |
| 9 | OX-15 | TUBE FLANGE | 1.8 LBS. |

| REF# | PART # | DESCRIPTION | WT/LB. |
|-------------|---------------|------------------------------------|---------------|
| 10 | OX-14S | SPRING - LEVEING | 11.7 LBS. |
| 11 | OMX-22 | LEVEING ROD - REAR | 67.0 LBS. |
| 11a | CS114-5 | BOLT - 1 1/4" X 4" LG. GR. 5 | 1.2 LBS. |
| | LN1 | LOCK NUT - 1 1/4" | 0.1 LBS. |
| 12 | OX-64 | SET BAR - ANGLE, FRNT. GNG. | 11.2 LBS. |
| 13 | ON-67 | PIN - J | 2.0 LBS |
| 14 | ON-68 | BLOCK AXLE MNTG. | 29.1 LBS. |
| 15 | ON-69 | CAP - AXLE MTG. | 9.0 LBS. |
| 15a | CS78712-5 | BOLT - 7/8" X 7 1/2" LG. GR. 5 | 1.5 LBS. |
| | LW78 | LOCK WASHER - 7/8" | N/A |
| | N78 | NUT - 7/8" | N/A |
| 16 | ON-70 | GANG FRAME BOLT (LONG) 2 PER DISC | 10.0 LBS. |
| 17 | ON-71 | GANG FRAME BOLT (SHORT) 6 PER DISC | 10.1 LBS. |
| 18 | OX-66 | SET BAR - ANGLE, REAR GNG. | 9.0 LBS. |
| 19 | OW-1-21 | STRAP - GANG TO FRAME, TOP | 13.0 LBS. |
| 20 | OW-1-22 | STRAP - GANG TO FRAME BOTTOM | 14.0 LBS. |
| 20a | SN112 | SLOTTED NUT - 1 1/2" | 0.8 LBS. |
| 21 | OMX-58 | ROD - DEPTH CONTROL | 79.9 LBS. |
| 21a | CS114-5 | BOLT - 1 1/4" X 5" LG. GR.5 | 2.3 LBS. |
| | LW114 | LOCK WASHER - 1 1/4" | N/A |
| | N114 | NUT - 1 1/4" | N/A |
| 22 | OX-140 | PIN - TRANSPORT | 3.9 LBS. |
| | BLD-33 | KLICK PIN | 0.2 LBS. |
| 23 | ON-60 | CRANK DEPTH CONTROL | 5.0 LBS |
| | SN112 | SLOTTED NUT - 1 1/2" | 0.8 LBS |




AXLE ASSEMBLY

| REF# | PART # | DESCRIPTION | WT/LB. |
|------|-----------------------|---|------------------------|
| 1 | OM-25 | AXLE | 459.0 LBS. |
| 2 | ON-56 | AXLE SCISSOR | 14.0 LBS. |
| 3 | CS1312-5 LW1 N1 | BOLT - 1" NC. X 3 1/2" LG. GR.5 LOCK WASHER - 1" NUT - 1" | 1.1 LBS. N/A N/A |
| 4 | ON-53 | HYD. CYLINDER 4" BORE X 16" STR. | 57.0 LBS. |
| 5 | ON-55 | PIN W RETAINER (HYD. CYL.) | 0.9 LBS. |




SPINDLE ASSEMBLY

| | | | |
|----|-----------|---------------------------------|-----------|
| 1 | RPO-163 | HUB W/ CUPS | 10.0 LBS. |
| 2 | RPO-147 | BEARING CUP - OUTER | 0.1 LBS. |
| 3 | RPO-148 | BEARING CONE - OUTER | 0.3 LBS. |
| 4 | RPO-145 | BEARING CUP - INNER | 0.2 LBS. |
| 5 | RPO-146 | BEARING CONE - INNER | 0.4 LBS. |
| 6 | RPO-144 | OUTER SEAL | 0.1 LBS. |
| 7 | FX-518 | SLIP IN SPINDLE | 9.0 LBS. |
| 8 | SN78F | SLOTTED NUT | 0.1 LBS. |
| 9 | RPO-159 | SPINDLE WASHER | 0.01 LBS |
| 10 | RPO-151 | DUST CAP | 0.2 LBS. |
| 11 | RPO-168 | LUG BOLT - (1/2" NG X 1" LG.) | 0.1 LBS. |
| 12 | N916-F | NUT 9/16" | N/A |
| 13 | CP3162 | COTTER PIN 3/16" X 2" LG. | N/A |
| 14 | FX-534 | TIRE - 7.60-15, RIB 6 PLY. | 24.0 LBS. |
| 15 | FX-533 | WHEEL 15 X 6, 8 (1/2) | 23.0 LBS. |
| 16 | CS12412-5 | BOLT - 1/2" NC. X 4 1/2" GR. | N/A |
| 17 | LN-12 | LOCK NUT - 1/2" | N/A |



GANG ASSEMBLY

| REF# | PART # | DESCRIPTION | WT/LB. |
|------|--------|--|-----------|
| 1 | ON-105 | GANG ROD - 1 1/2" SQ. 4 BLD. 9" SPC. | 21.1 LBS. |
| | ON-106 | GANG ROD - 1 1/2" SQ. 5 BLD. 9" SPC. | 26.9 LBS. |
| | ON-107 | GANG ROD - 1 1/2" SQ. 6 BLD. 9" SPC. | 33.1 LBS. |
| | ON-108 | GANG ROD - 1 1/2" SQ. 7 BLD. 9" SPC. | 38.6 LBS. |
| | ON-109 | GANG ROD - 1 1/2" SQ. 8 BLD. 9" SPC. | 44.8 LBS. |
| | ON-110 | GANG ROD - 1 1/2" SQ. 9 BLD. 9" SPC. | 51.1 LBS. |
| | ON-111 | GANG ROD - 1 1/2" SQ. 4 BLD. 10 1/2" SPC. | 23.3 LBS. |
| | ON-112 | GANG ROD - 1 1/2" SQ. 5 BLD. 10 1/2" SPC. | 30.3 LBS. |
| | ON-113 | GANG ROD - 1 1/2" SQ. 6 BLD. 10 1/2" SPC. | 37.3 LBS. |
| | ON-114 | GANG ROD - 1 1/2" SQ. 7 BLD. 10 1/2" SPC. | 44.1 LBS. |
| | ON-115 | GANG ROD - 1 1/2" SQ. 8 BLD. 10 1/2" SPC. | 50.5 LBS. |
| | ON-116 | GANG ROD - 1 1/2" SQ. 9 BLD. 10 1/2" SPC. | 57.0 LBS. |
| | ON-118 | GANG ROD - 1 1/2" SQ. 10 BLD. 10 1/2" SPC. | 64.0 LBS. |
| | ON-119 | GANG ROD - 1 1/2" SQ. 11 BLD. 10 1/2" SPC. | 71.0 LBS. |
| 2 | JXE-19 | EXT. WASHER - CCV, 1 1/2" SQ. | 8.0 LBS. |




GANG ASSEMBLY

| REF# | PART # | DESCRIPTION | WT/LB. |
|------|--------|--|-----------|
| 1 | ON-105 | GANG ROD - 1 1/2" SQ. 4 BLD. 9" SPC. | 21.1 LBS. |
| | ON-106 | GANG ROD - 1 1/2" SQ. 5 BLD. 9" SPC. | 26.9 LBS. |
| | ON-107 | GANG ROD - 1 1/2" SQ. 6 BLD. 9" SPC. | 33.1 LBS. |
| | ON-108 | GANG ROD - 1 1/2" SQ. 7 BLD. 9" SPC. | 38.6 LBS. |
| | ON-109 | GANG ROD - 1 1/2" SQ. 8 BLD. 9" SPC. | 44.8 LBS. |
| | ON-110 | GANG ROD - 1 1/2" SQ. 9 BLD. 9" SPC. | 51.1 LBS. |
| | ON-111 | GANG ROD - 1 1/2" SQ. 4 BLD. 10 1/2" SPC. | 23.3 LBS. |
| | ON-112 | GANG ROD - 1 1/2" SQ. 5 BLD. 10 1/2" SPC. | 30.3 LBS. |
| | ON-113 | GANG ROD - 1 1/2" SQ. 6 BLD. 10 1/2" SPC. | 37.3 LBS. |
| | ON-114 | GANG ROD - 1 1/2" SQ. 7 BLD. 10 1/2" SPC. | 44.1 LBS. |
| | ON-115 | GANG ROD - 1 1/2" SQ. 8 BLD. 10 1/2" SPC. | 50.5 LBS. |
| | ON-116 | GANG ROD - 1 1/2" SQ. 9 BLD. 10 1/2" SPC. | 57.0 LBS. |
| | ON-118 | GANG ROD - 1 1/2" SQ. 10 BLD. 10 1/2" SPC. | 64.0 LBS. |
| | ON-119 | GANG ROD - 1 1/2" SQ. 11 BLD. 10 1/2" SPC. | 71.0 LBS. |
| 2 | JXE-19 | EXT. WASHER - CCV, 1 1/2" SQ. | 8.0 LBS. |

| REF# | PART # | DESCRIPTION | WT/LB. |
|-------------|---------------|---|---------------|
| 3 | OF-84-SS | HALF SPOOL - CVX, 1 1/2" SQ. 9" SPC. | 8.3 LBS. |
| | OF-84-S-F | HALF SPOOL - CVX, 1 1/2" SQ. 9" SPC. (STEEL FAB) | N/A |
| | OF-84L-SS | HALF SPOOL - CVX, 1 1/2" SQ. 10 1/2" SPC. | 12.6 LBS. |
| | OF-84L-SS-F | HALF SPOOL - CVX, 1 1/2" SQ. 10 1/2" SPC. (STEEL FAB) | N/A |
| 4 | ON-80NRS-KIT | BEARING ASSY. - 1 1/2" SQ. NON-RELUBE SHIELDED | 14.0 LBS. |
| a | ON-138 | BRG. HSG. 1 1/2" SQ. (INCLUDES SHIELDS) | 8.2 LBS. |
| b | ON-136 | BRG. SHIELDS | 0.5 LBS. |
| c | RPO-103I | BRG. GANG, 1 1/2" SQ. NR, IMPORT | 3.2 LBS. |
| d | RPO-99 | RETAINING RING | 0.1 LBS. |
| 5 | OF-83-SS | HALF SPOOL - CCV, 1 1/2" SQ. 9" & 10 1/2" SPC. | N/A |
| | OF-83-SS-F | ALF SPOOL - CCV, 1 1/2" SQ. 9" & 10 1/2" SPC. (STEEL FAB) | N/A |
| 6 | OF-9 | SPACER SPOOL 1 1/2" SQ., 9" SPC. | 23.8 LBS. |
| | OF-9-F | SPACER SPOOL 1 1/2" SQ., 9" SPC. (STEEL FAB) | N/A |
| 7 | JXE-19 | EXT. WASHER - CVX, 1 1/2" SQ. | 8.0 LBS. |
| 8 | LW112 | LOCK WASHER - 1 1/2" | 0.2 LBS. |
| 9 | SN112 | SLOTTED NUT - 1 1/2" | 0.8 LBS. |
| 10 | ON-222F | BRG. CAP W/GUARD 1 1/2" SQ. (FRONT GANG) | 7.6 LBS |
| | ON-222R | BRG. CAP W/GUARD 1 1/2" SQ. (REAR GANG) | 7.6 LBS. |
| | CS58134-5 | BOLT - 5/8"NC. X 1 3/4" LG. GR. 5 | 0.3 LBS. |
| | LW58 | LOCK WASHER - 5/8" | 0.1 LBS. |
| | N58 | NUT - 5/8" | |
| 11 | ON-223 | BRG. STRAP CAP - 1 1/2" SQ. (SHORT) | 2.1 LBS |
| | CS58214 | BOLT - 5/8" X 2 1/4" LG. GR. 5 | 0.5 LBS. |
| | LW58 | LOCK WASHER - 5/8" | 0.3 LBS. |
| | N58 | NUT - 5/8" | 0.1 LBS |
| 12 | ON-225 | BRACKET - BRG., FRONT | 45.0 LBS. |
| | ON-226 | BRACKET - BRG., REAR | 45.0 LBS. |
| 13 | ON-224 | BRG. HOLDER - ADJ. - 1 1/2" SQ. | 10.1 LBS. |
| 14 | MW1-01F | FRONT GANG - CENTER SECTION 9" SPC. | 1125.0 LBS |
| | MW1-01R | REAR GANG - CENTER SECTION 9" SPC. | 1125.0 LBS |


| REF# | PART # | DESCRIPTION | WT/LB. |
|-------------|---------------|---|---------------|
| 15 | MW1-04B-RF | WING - RIGHT HAND FRONT 4 BLD. 9" SPC. | N/A |
| | MW1-04B-LR | WING - LEFT HAND REAR 4 BLD. 9" SPC. | N/A |
| | MW1-02 | WING - RIGHT HAND FRONT 5 BLD. 9" SPC. | N/A |
| | MW1-03 | WING - LEFT HAND FRONT 5 BLD. 9" SPC. | N/A |
| | MW1-04 | WING - RIGHT HAND REAR 5 BLD. 9" SPC. | N/A |
| | MW1-05 | WING - LEFT HAND REAR 5 BLD. 9" SPC. | N/A |
| | MW1-06B-RF | WING - RIGHT HAND FRONT 6 BLD. 9" SPC. | N/A |
| | MW1-06B-LF | WING - LEFT HAND FRONT 6 BLD. 9" SPC. | N/A |
| | MW1-06B-RR | WING - RIGHT HAND REAR 6 BLD. 9" SPC. | N/A |
| | MW1-06B-LR | WING - LEFT HAND REAR 6 BLD. 9" SPC. | N/A |
| | MW1-07B-RF | WING - RIGHT HAND FRONT 7 BLD. 9" SPC. | N/A |
| | MW1-07B-LF | WING - LEFT HAND FRONT 7 BLD. 9" SPC. | N/A |
| | MW1-07B-RR | WING - RIGHT HAND REAR 7 BLD. 9" SPC. | N/A |
| | MW1-07B-LR | WING - LEFT HAND REAR 7 BLD. 9" SPC. | N/A |
| | MW1-08B-RF | WING - RIGHT HAND FRONT 8 BLD. 9" SPC. | N/A |
| | MW1-08B-LF | WING - LEFT HAND FRONT 8 BLD. 9" SPC. | N/A |
| | MW1-08B-RR | WING - RIGHT HAND REAR 8 BLD. 9" SPC. | N/A |
| | MW1-08B-LR | WING - LEFT HAND REAR 8 BLD. 9" SPC. | N/A |
| | MW1-09B-RF | WING - RIGHT HAND FRONT 9 BLD. 9" SPC. | N/A |
| | MW1-09B-LF | WING - LEFT HAND FRONT 9 BLD. 9" SPC. | N/A |
| | MW1-09B-RR | WING - RIGHT HAND REAR 9 BLD. 9" SPC. | N/A |
| | MW1-09B-LR | WING - LEFT HAND REAR 9 BLD. 9" SPC. | N/A |
| | OM2-01F | FRONT GANG - CENTER SECTION - 10 1/2" SPC. | 1456.0 LBS. |
| | OM2-01R | REAR GANG - CENTER SECTION - 10 1/2" SPC. | 1456.0 LBS. |
| | OM2-28 | WING - RIGHT HAND FRONT , 4 BLD. 10 1/2" SPC. | N/A |
| | OM2-29 | WING - LEFT HAND REAR , 4 BLD. 10 1/2" SPC. | N/A |
| | OM2-30 | WING - RIGHT HAND FRONT, 5 BLD. 10 1/2" SPC. | 926.0 LBS |
| | OM2-31 | WING - LEFT HAND FRONT, 5 BLD. 10 1/2" SPC. | 926.0 LBS. |
| | OM2-32 | WING - RIGHT HAND REAR, 5 BLD. 10 1/2" SPC. | N/A |
| | OM2-33 | WING - LEFT HAND REAR, 5 BLD. 10 1/2" SPC. | N/A |
| | OM2-34 | WING - RIGHT HAND FRONT, 6 BLD. 10 1/2" SPC. | N/A |
| | OM2-35 | WING - LEFT HAND FRONT, 6 BLD. 10 1/2" SPC. | N/A |
| | OM2-36 | WING - RIGHT HAND REAR, 6 BLD. 10 1/2" SPC. | N/A |
| | OM2-37 | WING - LEFT HAND REAR, 6 BLD. 10 1/2" SPC. | N/A |
| | OM2-38 | WING - RIGHT HAND FRONT, 7 BLD. 10 1/2" SPC. | N/A |
| | OM2-39 | WING - LEFT HAND FRONT, 7 BLD. 10 1/2" SPC. | N/A |
| | OM2-40 | WING - RIGHT HAND REAR, 7 BLD. 10 1/2" SPC. | N/A |
| | OM2-41 | WING - LEFT HAND REAR, 7 BLD. 10 1/2" SPC. | N/A |
| | OM2-42 | WING - RIGHT HAND FRONT, 8 BLD. 10 1/2" SPC. | N/A |
| | OM2-43 | WING - LEFT HAND FRONT, 8 BLD. 10 1/2" SPC. | N/A |
| | OM2-44 | WING - RIGHT HAND REAR, 7 BLD. 10 1/2" SPC. | N/A |
| | OM2-45 | WING - LEFT HAND REAR, 8 BLD. 10 1/2" SPC. | N/A |



GANG WING ASSEMBLY


| REF# | PART # | DESCRIPTION | WT/LB. |
|------|--------------------------|--|-----------------|
| 1 | MW1-24 | CONTROL ARM | 36.5 LBS. |
| 2 | MW1-28 | PIN LOCK DOWN | 2.5 LBS. |
| 2b | CS38212-5 LW38 N38 | BOLT - 3/8" NC. X 2 1/2" LG. GR. 5 LOCK WASHER - 3/8" NUT - 3/8" | N/A |
| 3 | MW1-33 | PIVOT - BRACKET - LOCK DOWN | 9.0 LBS. |
| 4 | MW1-32 | LINK - LOCK DOWN | 10.5 LBS. |
| 5 | MW1-29 | LOCK DOWN TOGGLE | 7.5 LBS. |
| 6 | MW1-35 CP5163 | PIN - LOCK DOWN COTTER PIN - 5/16" X 3" LG. | 1.0 LBS. |
| 7 | MW1-34 CP5163 | PIN - LOCK DOWN COTTER PIN - 5/16" X 3" LG. | 1.0 LBS. |
| 8 | MW1-36 CP5163 | PIN-LOCK DOWN COTTER PIN - 5/16" X 3" LG. | 1.0 LBS. N/A |

| REF# | PART # | DESCRIPTION | WT/LB. |
|-------------|---------------|--|---------------|
| 9 | CS114412-5 | BOLT - 1 1/4" NC. X 4 1/2" LG. GR. 5 | |
| | LW114 | LOCK WASHER - 1 1/4" | 0.1 LBS. |
| | N114 | NUT - 1 1/4" | 0.6 LBS. |
| 10 | MW1-07 | BOLT - TURN BUCKLE L.H. THRDS. | 4.5 LBS |
| 11 | JN112 | JAM NUT - 1 1/2" | 0.6 LBS. |
| | 7000 | GREASE ZERK | |
| 12 | MW1-08 | TURN BUCKLE - BODY | 4.2 LBS. |
| 13 | MW1-06 | BOLT - TURN BUCKLE R.H. THRDS. | 26.5 LBS. |
| 14 | MW1-25 | PIN - TRANSPORT W/CABLE | N/A |
| 15 | MW1-09 | PIN - HYD. CYL. TO PIVOT ARMS | 1.9 LBS. |
| | CP5163 | COTTER PIN - 5/16" X 3" LG. | N/A |
| 16 | MW1-11 | PIVOT - ARM LEFT HAND | 33.3 LBS. |
| 17 | CS114712-5 | BOLT - 1 1/4" NC. X 7 1/2" LG. GR. 5 | 3.2 LBS. |
| 18 | MW1-12 | PIVOT - ARM RIGHT HAND | 33.3 LBS. |
| 19 | JJ-90 | HYD. CYLINDER - 3" DIA. X 12" STRK. (W/PINS) | 30.0 LBS. |
| 20 | MW1-37 | HYD. CYLINDER - 2 1/4" DIA. X 4" STRK. (LOCK CYL.) | N/A |
| 21 | MW1-10 | PIN -WING PIVOT | 12.1 LBS |
| 22 | 1641 | GREASE ZERK -1/4-28 | N/A |



ON-80NRS-KIT


| REF# | PART # | DESCRIPTION | WT/LB. |
|------|----------|----------------------------------|--------|
| 1 | ON-138 | BRG. - HOUSING | |
| 2 | ON-136 | BRG. - SHIELDS | |
| 3 | RPO-103I | BRG. 1 1/2" SQ. RELUBE (W211PP5) | |
| 4 | RPO-99 | SNAP RING | |



CLEANER ASSEMBLY


| REF# | PART # | DESCRIPTION | WT/LB. |
|------|------------|---|----------|
| 1 | ON-157 | THRASH PLATE - 9" SPACING | 5.0 LBS. |
| | FXSL-230 | THRASH PLATE - 10 1/2" SPACING | 5.8 LBS. |
| 2 | ON-158 | HOLDER - TRASH PLATE (ON-157) | 4.2 LBS. |
| | FXSL-229 | HOLDER - TRASH PLATE (FXSL-230) | 4.0 LBS. |
| 3 | CB12112-5 | CARRIAGE BOLT - 1/2" NC. X 1 1/2" LG. GR. 5 | 0.2 LBS. |
| | LW12 | LOCK WASHER - 1/2" | 0.1 LBS. |
| | N12 | NUT - 1/2" | 0.1 LBS. |
| 4 | CS58214-5 | BOLT - 5/8" NC. X 2 1/4" LG. GR. 5 | 0.3 LBS. |
| 5 | LW58 | LOCK WASHER - 5/8" | 0.1 LBS. |
| 6 | N58 | NUT - 5/8" | 0.1 LBS |
| 7 | OFH-300-F | CLEANER ARM - FRONT HVY. DTY. | N/A |
| | OFHX-300-F | CLEANER ARM - FRONT (WHEN USING 28" DISC BLADES ONLY) | N/A |
| | OFH-300-R | CLEANER ARM - REAR HVY. DTY. | N/A |
| | OFHX-300-R | CLEANER ARM - REAR (WHEN USING 28" DISC BLADES ONLY) | N/A |
| 8 | OF-309 | BLADE CLEANER | 2.0 LBS. |

| REF# | PART # | DESCRIPTION | WT/LB. |
|-------------------------------|---------------|---|---------------|
| 9 | CB381-5 | CARRIGGE BOLT - 3/8" NC. X 1" LG. GR. 5 | N/A |
| | LW38 | LOCK WASHER - 3/8" | N/A |
| | N38 | NUT - 3/8" | N/A |
| 10 | OF-307-W | CAP - CLEANER BAR W/SHIM (ON CENTER GANGS ONLY) | N/A |
| | OF-307 | CAP - CLEANER BAR - STANDARD | N/A |
| 11 | CS34412-5 | BOLT - 3/4" NC. X 4 1/2" LG. GR. 5 | N/A |
| | LW34 | LOCK WASHER - 3/4" | N/A |
| | N34 | NUT - 3/4" | N/A |
| 12 | OF-305 | CAP CLEANER ARM | 0.5 LBS. |
| 13 | CB12312-5 | CARRIGE BOLT - 1/2" NC. X 3 1/2" LG. GR. 5 | N/A |
| | LW12 | LOCK WASHER - 1/2" | N/A |
| | N12 | NUT - 1/2" | N/A |
| 14 | MWC-1 | CLEANER BAR - CENTER GANG (WING DISC) 133" LG. | N/A |
| | MWC-4 | CLEANER BAR - 4 BLADE , 9" SPC. 39" LG. | N/A |
| | MWC-5 | CLEANER BAR - 5 BLADE , 9" SPC.48" LG. | N/A |
| | MWC-6 | CLEANER BAR - 6 BLADE , 9" SPC. 57" LG. | N/A |
| | MWC-7 | CLEANER BAR -7 BLADE , 9" SPC. 66" LG. | N/A |
| | MWC-8 | CLEANER BAR - 8 BLADE , 9" SPC. 76" LG. | N/A |
| | MWC-9 | CLEANER BAR - 9 BLADE , 9" SPC. 85" LG. | N/A |
| | OMC-4 | CLEANER BAR - 4 BLADE , 10 1/2" SPC. 44" LG. | N/A |
| | ONC-5 | CLEANER BAR - 5 BLADE , 10 1/2" SPC. 55" LG. | N/A |
| | OMC-6 | CLEANER BAR -6 BLADE , 10 1/2" SPC. 66" LG. | N/A |
| | OMC-7 | CLEANER BAR -7 BLADE , 10 1/2" SPC. 77" LG. | N/A |
| | OMC-8 | CLEANER BAR -8 BLADE , 10 1/2" SPC. 88" LG. | N/A |
| OPTIONAL CLEANER ASSY. | | | |
| | OFH-300A-F | CLEANER ASSY. - HVY. DTY. | N/A |
| | OFH-300A-R | CLEANER ASSY. - HVY. DTY. | N/A |
| | OFHX-300A-F | CLEANER ASSY. - HVY. DTY. (USE W/28" D BLD.) | N/A |
| | OFHX-300A-R | CLEANER ASSY. - HVY. DTY. (USE W/28" D BLD.) | N/A |



| REF# | PART # | DESCRIPTION | WT/LB. |
|------|----------------|---|--------|
| A. | JJ-90 | HYD. CYLINDER 3" DIA. X 12" STRK. (W/PINS) | |
| 1a. | HYDRAULIC HOSE | CONNECT BOTTOM LEFT OF SEQUENCING VALVE C. TO LEFT SIDE OF HYDRAULIC A. | |
| 2a. | HYDRAULIC HOSE | CONNECT TOP LEFT OF SEQUENCING VALVE C. TO RIGHT SIDE OF HYDRAULIC A | |
| B. | MW-1-37 | HYD. CYLINDER 2 1/4" DIA. X 4" STRK. (LOCK CYL.) | |
| 1b. | HYDRAULIC HOSE | CONNECT BOTTOM RIGHT OF SEQUENCING VALVE C. TO LEFT SIDE OF HYDRAULIC B. | |
| 2b. | HYDRAULIC HOSE | CONNECT TOP RIGHT OF SEQUENCING VALVE C. TO RIGHT OF HYDRAULIC B. | |
| C. | MW1-97 | SEQUENCING VALVE | |


1.

**FPT-8**


2.

**FP-FP90-8-8**


3.

**PF800-S**


4.

**FP-FPX-8-8**

5.


**MW1-38 THROUGH MW1-49**

6.

**MW1-97**

HYDRAULIC ATTATCHMENTS


| REF# | PART # | DESCRIPTION | WT/LB. |
|------|-------------|---|----------|
| 1 | FPT-8 | FEMALE PIPE TEE - 1/2" FP - 1/2" FP - 1/2" FP | 0.5 LBS |
| 2 | FP-FP90-8-8 | FEMALE PIPE - FEMALE PIPE 90 | 0.5 LBS. |
| 3 | PF800-S | FLOW VALVE CONTROL | 1.5 LBS. |
| 4 | FP-FPX-8-8 | FEMALE PIPE - FEMALE PIPE SWIVEL - STRAIGHT | 0.5 LBS. |
| 5 | MW1-38 | HYDRAULIC PIPE - WING FOLD 17 1/2" LG. | |
| | MW1-39 | HYDRAULIC PIPE - WING FOLD 19 1/2" LG. | |
| | MW1-40 | HYDRAULIC PIPE - WING FOLD 20" LG. | |
| | MW1-41 | HYDRAULIC PIPE - WING FOLD 23" LG. | |
| | MW1-42 | HYDRAULIC PIPE - WING FOLD 34 1/2" LG. | |
| | MW1-43 | HYDRAULIC PIPE - WING FOLD 36 1/2" LG. | |
| | MW1-44 | HYDRAULIC PIPE - WING FOLD 37 1/2" LG. | |
| | MW1-45 | HYDRAULIC PIPE - WING FOLD 42" LG. | |
| | MW1-46 | HYDRAULIC PIPE - WING FOLD 45" LG. | |
| | MW1-47 | HYDRAULIC PIPE - WING FOLD 74" LG. | |
| | MW1-48 | HYDRAULIC PIPE - WING FOLD 84" LG. | |
| | MW1-49 | HYDRAULIC PIPE - WING FOLD 111" LG. | |
| 6 | MW1-97 | SEQUENCING VALVE | |



HITCH ASSEMBLY

| REF# | PART # | DESCRIPTION | WT/LB. |
|------|------------------------------------|---|--------------------------------|
| 1 | OX-9 | BOLT - TURNBUCKLE, R.H. THRD. | 6.5 LBS. |
| 2 | OX-10 | BODY - TURNBUCKLE | 14.75 LBS. |
| 3 | OX-11 | BOLT - TURNBUCKLE, L.H. THRD. | 6.5 LBS. |
| 4 | OM-5 | CROSS MEMBER - HITCH | 490 .0 LBS. |
| 5 | ON-61 | PIN - HITCH | 5.5 LBS. |
| 6 | CS1312-5 LN1 | BOLT - 1" X 3 1/2" LG. GR. 5 LOCK NUT - 1" | 1.1 LBS. .1 LBS. |
| 7 | SC11412-8 N114 | BOLT - 1 1/4" X 12" LG. GR. 8 NUT-1 1/4" | N/A N/A |
| 8 | ON-139 CS12712-5 LW12 N12 | HOSE GUIDE W/ CLAMP BOLT - 1/2" X 7 1/2" LG. GR. 5 LOCK WASHER - 1/2" NUT-1/2" | 12 LBS. N/A N/A N/A |
| 9 | OX-7ME | DRAW BAR - HITCH, HVY. | 250 LBS. |
| 10 | OX-138 CS588-5 LW58 N58 | HITCH JACK -5000 LBS. (INC. MOUNTING PARTS) BOLT - 5/8" X 8" LG. GR. 5 LOCK WASHER - 5/8" NUT - 5/8" | 17.0 LBS. N/A N/A N/A |
| 11 | OX-8 OX-8C | TONGUE SINGLE, HVY. TONGUE CLEVIS, HVY. | 24 LBS. 23.5 LBS. |
| 12 | OX-126 LW114 N114 | BOLT - HITCH TONGUE LOCK WASHER - 1 1/4" NUT - 1 1/4" | 3.7 LBS. N/A N/A |


OMX-W-1



MAIN FRAME ASSEMBLY


| REF# | PART # | DESCRIPTION | WT/LB. |
|------|-----------------|---|-----------|
| 1 | OMX-W-1 | MAIN FRAME - 86" (WING DISC) | |
| 2 | ON-12 | HAMMER - LEVELING | 26.3 LBS. |
| 2a | CS1312-5 LN1 | BOLT - 1" X 3 1/2" LG. GR. 5 LOCK NUT - 1" | |
| 3 | ON-18 | LEVER - SWIVEL | 26.3 LBS. |
| 4 | ON-134 | PIN - ROCKER | 4.0 LBS |
| 5 | ONX-13 | LEVELING ROD - DUAL SPRING | 64.0 LBS |
| 5a | SN-112 | SLOTTED NUT - 1 1/2" COTTER PIN | |
| 6 | ON-150 | TUBE CRUSH SPRING | 2.5 LBS. |
| 7 | OX-14 (ON-14) | LEVELING SPRING | 7.0 LBS. |
| 8 | OX-50 | BLOCK - RETAINER | 20.0 LBS. |
| 9 | OX-15 | TUBE FLANGE | 1.8 LBS. |

| REF# | PART # | DESCRIPTION | WT/LB. |
|-------------|---------------|------------------------------------|---------------|
| 10 | OX-14S | SPRING - LEVEING | 11.7 LBS. |
| 11 | OMX-22 | LEVEING ROD - REAR | 67.0 LBS. |
| 11a | CS114-5 | BOLT - 1 1/4" X 4" LG. GR. 5 | 1.2 LBS. |
| | LN1 | LOCK NUT - 1 1/4" | 0.1 LBS. |
| 12 | OX-64 | SET BAR - ANGLE, FRNT. GNG. | 11.2 LBS. |
| 13 | ON-67 | PIN - J | 2.0 LBS |
| 14 | ON-68 | BLOCK AXLE MNTG. | 29.1 LBS. |
| 15 | ON-69 | CAP - AXLE MTG. | 9.0 LBS. |
| 15a | CS78712-5 | BOLT - 7/8" X 7 1/2" LG. GR. 5 | 1.5 LBS. |
| | LW78 | LOCK WASHER - 7/8" | N/A |
| | N78 | NUT - 7/8" | N/A |
| 16 | ON-70 | GANG FRAME BOLT (LONG) 2 PER DISC | 10.0 LBS. |
| 17 | ON-71 | GANG FRAME BOLT (SHORT) 6 PER DISC | 10.1 LBS. |
| 18 | OX-66 | SET BAR - ANGLE, REAR GNG. | 9.0 LBS. |
| 19 | OW-1-21 | STRAP - GANG TO FRAME, TOP | 13.0 LBS. |
| 20 | OW-1-22 | STRAP - GANG TO FRAME BOTTOM | 14.0 LBS. |
| 20a | SN112 | SLOTTED NUT - 1 1/2" | 0.8 LBS. |
| 21 | OMX-58 | ROD - DEPTH CONTROL | 79.9 LBS. |
| 21a | CS114-5 | BOLT - 1 1/4" X 5" LG. GR.5 | 2.3 LBS. |
| | LW114 | LOCK WASHER - 1 1/4" | N/A |
| | N114 | NUT - 1 1/4" | N/A |
| 22 | OX-140 | PIN - TRANSPORT | 3.9 LBS. |
| | BLD-33 | KLICK PIN | 0.2 LBS. |
| 23 | ON-60 | CRANK DEPTH CONTROL | 5.0 LBS |
| | SN112 | SLOTTED NUT - 1 1/2" | 0.8 LBS |




AXLE ASSEMBLY

| REF# | PART # | DESCRIPTION | WT/LB. |
|------|-----------------------|---|------------------------|
| 1 | OM-25 | AXLE | 459.0 LBS. |
| 2 | ON-56 | AXLE SCISSOR | 14.0 LBS. |
| 3 | CS1312-5 LW1 N1 | BOLT - 1" NC. X 3 1/2" LG. GR.5 LOCK WASHER - 1" NUT - 1" | 1.1 LBS. N/A N/A |
| 4 | ON-53 | HYD. CYLINDER 4" BORE X 16" STR. | 57.0 LBS. |
| 5 | ON-55 | PIN W RETAINER (HYD. CYL.) | 0.9 LBS. |



SPINDLE ASSEMBLY

| | | | |
|----|-----------|---------------------------------|-----------|
| 1 | RPO-163 | HUB W/ CUPS | 10.0 LBS. |
| 2 | RPO-147 | BEARING CUP - OUTER | 0.1 LBS. |
| 3 | RPO-148 | BEARING CONE - OUTER | 0.3 LBS. |
| 4 | RPO-145 | BEARING CUP - INNER | 0.2 LBS. |
| 5 | RPO-146 | BEARING CONE - INNER | 0.4 LBS. |
| 6 | RPO-144 | OUTER SEAL | 0.1 LBS. |
| 7 | FX-518 | SLIP IN SPINDLE | 9.0 LBS. |
| 8 | SN78F | SLOTTED NUT | 0.1 LBS. |
| 9 | RPO-159 | SPINDLE WASHER | 0.01 LBS |
| 10 | RPO-151 | DUST CAP | 0.2 LBS. |
| 11 | RPO-168 | LUG BOLT - (1/2" NG X 1" LG.) | 0.1 LBS. |
| 12 | N916-F | NUT 9/16" | N/A |
| 13 | CP3162 | COTTER PIN 3/16" X 2" LG. | N/A |
| 14 | FX-534 | TIRE - 7.60-15, RIB 6 PLY. | 24.0 LBS. |
| 15 | FX-533 | WHEEL 15 X 6, 8 (1/2) | 23.0 LBS. |
| 16 | CS12412-5 | BOLT - 1/2" NC. X 4 1/2" GR. | N/A |
| 17 | LN-12 | LOCK NUT - 1/2" | N/A |




GANG ASSEMBLY

| REF# | PART # | DESCRIPTION | WT/LB. |
|------|--------|--|-----------|
| 1 | ON-105 | GANG ROD - 1 1/2" SQ. 4 BLD. 9" SPC. | 21.1 LBS. |
| | ON-106 | GANG ROD - 1 1/2" SQ. 5 BLD. 9" SPC. | 26.9 LBS. |
| | ON-107 | GANG ROD - 1 1/2" SQ. 6 BLD. 9" SPC. | 33.1 LBS. |
| | ON-108 | GANG ROD - 1 1/2" SQ. 7 BLD. 9" SPC. | 38.6 LBS. |
| | ON-109 | GANG ROD - 1 1/2" SQ. 8 BLD. 9" SPC. | 44.8 LBS. |
| | ON-110 | GANG ROD - 1 1/2" SQ. 9 BLD. 9" SPC. | 51.1 LBS. |
| | ON-111 | GANG ROD - 1 1/2" SQ. 4 BLD. 10 1/2" SPC. | 23.3 LBS. |
| | ON-112 | GANG ROD - 1 1/2" SQ. 5 BLD. 10 1/2" SPC. | 30.3 LBS. |
| | ON-113 | GANG ROD - 1 1/2" SQ. 6 BLD. 10 1/2" SPC. | 37.3 LBS. |
| | ON-114 | GANG ROD - 1 1/2" SQ. 7 BLD. 10 1/2" SPC. | 44.1 LBS. |
| | ON-115 | GANG ROD - 1 1/2" SQ. 8 BLD. 10 1/2" SPC. | 50.5 LBS. |
| | ON-116 | GANG ROD - 1 1/2" SQ. 9 BLD. 10 1/2" SPC. | 57.0 LBS. |
| | ON-118 | GANG ROD - 1 1/2" SQ. 10 BLD. 10 1/2" SPC. | 64.0 LBS. |
| | ON-119 | GANG ROD - 1 1/2" SQ. 11 BLD. 10 1/2" SPC. | 71.0 LBS. |
| 2 | JXE-19 | EXT. WASHER - CCV, 1 1/2" SQ. | 8.0 LBS. |

| REF# | PART # | DESCRIPTION | WT/LB. |
|------|------------|---|-------------|
| 15 | MW1-04B-RF | WING - RIGHT HAND FRONT 4 BLD. 9" SPC. | N/A |
| | MW1-04B-LR | WING - LEFT HAND REAR 4 BLD. 9" SPC. | N/A |
| | MW1-02 | WING - RIGHT HAND FRONT 5 BLD. 9" SPC. | N/A |
| | MW1-03 | WING - LEFT HAND FRONT 5 BLD. 9" SPC. | N/A |
| | MW1-04 | WING - RIGHT HAND REAR 5 BLD. 9" SPC. | N/A |
| | MW1-05 | WING - LEFT HAND REAR 5 BLD. 9" SPC. | N/A |
| | MW1-06B-RF | WING - RIGHT HAND FRONT 6 BLD. 9" SPC. | N/A |
| | MW1-06B-LF | WING - LEFT HAND FRONT 6 BLD. 9" SPC. | N/A |
| | MW1-06B-RR | WING - RIGHT HAND REAR 6 BLD. 9" SPC. | N/A |
| | MW1-06B-LR | WING - LEFT HAND REAR 6 BLD. 9" SPC. | N/A |
| | MW1-07B-RF | WING - RIGHT HAND FRONT 7 BLD. 9" SPC. | N/A |
| | MW1-07B-LF | WING - LEFT HAND FRONT 7 BLD. 9" SPC. | N/A |
| | MW1-07B-RR | WING - RIGHT HAND REAR 7 BLD. 9" SPC. | N/A |
| | MW1-07B-LR | WING - LEFT HAND REAR 7 BLD. 9" SPC. | N/A |
| | MW1-08B-RF | WING - RIGHT HAND FRONT 8 BLD. 9" SPC. | N/A |
| | MW1-08B-LF | WING - LEFT HAND FRONT 8 BLD. 9" SPC. | N/A |
| | MW1-08B-RR | WING - RIGHT HAND REAR 8 BLD. 9" SPC. | N/A |
| | MW1-08B-LR | WING - LEFT HAND REAR 8 BLD. 9" SPC. | N/A |
| | MW1-09B-RF | WING - RIGHT HAND FRONT 9 BLD. 9" SPC. | N/A |
| | MW1-09B-LF | WING - LEFT HAND FRONT 9 BLD. 9" SPC. | N/A |
| | MW1-09B-RR | WING - RIGHT HAND REAR 9 BLD. 9" SPC. | N/A |
| | MW1-09B-LR | WING - LEFT HAND REAR 9 BLD. 9" SPC. | N/A |
| | OM2-01F | FRONT GANG - CENTER SECTION - 10 1/2" SPC. | 1456.0 LBS. |
| | OM2-01R | REAR GANG - CENTER SECTION - 10 1/2" SPC. | 1456.0 LBS. |
| | OM2-28 | WING - RIGHT HAND FRONT , 4 BLD. 10 1/2" SPC. | N/A |
| | OM2-29 | WING - LEFT HAND REAR , 4 BLD. 10 1/2" SPC. | N/A |
| | OM2-30 | WING - RIGHT HAND FRONT, 5 BLD. 10 1/2" SPC. | 926.0 LBS |
| | OM2-31 | WING - LEFT HAND FRONT, 5 BLD. 10 1/2" SPC. | 926.0 LBS. |
| | OM2-32 | WING - RIGHT HAND REAR, 5 BLD. 10 1/2" SPC. | N/A |
| | OM2-33 | WING - LEFT HAND REAR, 5 BLD. 10 1/2" SPC. | N/A |
| | OM2-34 | WING - RIGHT HAND FRONT, 6 BLD. 10 1/2" SPC. | N/A |
| | OM2-35 | WING - LEFT HAND FRONT, 6 BLD. 10 1/2" SPC. | N/A |
| | OM2-36 | WING - RIGHT HAND REAR, 6 BLD. 10 1/2" SPC. | N/A |
| | OM2-37 | WING - LEFT HAND REAR, 6 BLD. 10 1/2" SPC. | N/A |
| | OM2-38 | WING - RIGHT HAND FRONT, 7 BLD. 10 1/2" SPC. | N/A |
| | OM2-39 | WING - LEFT HAND FRONT, 7 BLD. 10 1/2" SPC. | N/A |
| | OM2-40 | WING - RIGHT HAND REAR, 7 BLD. 10 1/2" SPC. | N/A |
| | OM2-41 | WING - LEFT HAND REAR, 7 BLD. 10 1/2" SPC. | N/A |
| | OM2-42 | WING - RIGHT HAND FRONT, 8 BLD. 10 1/2" SPC. | N/A |
| | OM2-43 | WING - LEFT HAND FRONT, 8 BLD. 10 1/2" SPC. | N/A |
| | OM2-44 | WING - RIGHT HAND REAR, 7 BLD. 10 1/2" SPC. | N/A |
| | OM2-45 | WING - LEFT HAND REAR, 8 BLD. 10 1/2" SPC. | N/A |

| REF# | PART # | DESCRIPTION | WT/LB. |
|-------------|---------------|---|---------------|
| 3 | OF-84-SS | HALF SPOOL - CVX, 1 1/2" SQ. 9" SPC. | 8.3 LBS. |
| | OF-84-S-F | HALF SPOOL - CVX, 1 1/2" SQ. 9" SPC. (STEEL FAB) | N/A |
| | OF-84L-SS | HALF SPOOL - CVX, 1 1/2" SQ. 10 1/2" SPC. | 12.6 LBS. |
| | OF-84L-SS-F | HALF SPOOL - CVX, 1 1/2" SQ. 10 1/2" SPC. (STEEL FAB) | N/A |
| 4 | ON-80NRS-KIT | BEARING ASSY. - 1 1/2" SQ. NON-RELUBE SHIELDED | 14.0 LBS. |
| a | ON-138 | BRG. HSG. 1 1/2" SQ. (INCLUDES SHIELDS) | 8.2 LBS. |
| b | ON-136 | - BRG. SHIELDS | 0.5 LBS. |
| c | RPO-103I | BRG. GANG, 1 1/2" SQ. NR, IMPORT | 3.2 LBS. |
| d | RPO-99 | RETAINING RING | 0.1 LBS. |
| 5 | OF-83-SS | HALF SPOOL - CCV, 1 1/2" SQ. 9" & 10 1/2" SPC. | N/A |
| | OF-83-SS-F | ALF SPOOL - CCV, 1 1/2" SQ. 9" & 10 1/2" SPC. (STEEL FAB) | N/A |
| 6 | OF-9 | SPACER SPOOL 1 1/2" SQ., 9" SPC. | 23.8 LBS. |
| | OF-9-F | SPACER SPOOL 1 1/2" SQ., 9" SPC. (STEEL FAB) | N/A |
| 7 | JXE-19 | EXT. WASHER - CVX, 1 1/2" SQ. | 8.0 LBS. |
| 8 | LW112 | LOCK WASHER - 1 1/2" | 0.2 LBS. |
| 9 | SN112 | SLOTTED NUT - 1 1/2" | 0.8 LBS. |
| 10 | ON-222F | BRG. CAP W/GUARD 1 1/2" SQ. (FRONT GANG) | 7.6 LBS |
| | ON-222R | BRG. CAP W/GUARD 1 1/2" SQ. (REAR GANG) | 7.6 LBS. |
| | CS58134-5 | BOLT - 5/8"NC. X 1 3/4" LG. GR. 5 | 0.3 LBS. |
| | LW58 | LOCK WASHER - 5/8" | 0.1 LBS. |
| | N58 | NUT - 5/8" | |
| 11 | ON-223 | BRG. STRAP CAP - 1 1/2" SQ. (SHORT) | 2.1 LBS |
| | CS58214 | BOLT - 5/8" X 2 1/4" LG. GR. 5 | 0.5 LBS. |
| | LW58 | LOCK WASHER - 5/8" | 0.3 LBS. |
| | N58 | NUT - 5/8" | 0.1 LBS |
| 12 | ON-225 | BRACKET - BRG., FRONT | 45.0 LBS. |
| | ON-226 | BRACKET - BRG., REAR | 45.0 LBS. |
| 13 | ON-224 | BRG. HOLDER - ADJ. - 1 1/2" SQ. | 10.1 LBS. |
| 14 | MW1-01F | FRONT GANG - CENTER SECTION 9" SPC. | 1125.0 LBS |
| | MW1-01R | REAR GANG - CENTER SECTION 9" SPC. | 1125.0 LBS |


| REF# | PART # | DESCRIPTION | WT/LB. |
|------|------------|---|-------------|
| 15 | MW1-04B-RF | WING - RIGHT HAND FRONT 4 BLD. 9" SPC. | N/A |
| | MW1-04B-LR | WING - LEFT HAND REAR 4 BLD. 9" SPC. | N/A |
| | MW1-02 | WING - RIGHT HAND FRONT 5 BLD. 9" SPC. | N/A |
| | MW1-03 | WING - LEFT HAND FRONT 5 BLD. 9" SPC. | N/A |
| | MW1-04 | WING - RIGHT HAND REAR 5 BLD. 9" SPC. | N/A |
| | MW1-05 | WING - LEFT HAND REAR 5 BLD. 9" SPC. | N/A |
| | MW1-06B-RF | WING - RIGHT HAND FRONT 6 BLD. 9" SPC. | N/A |
| | MW1-06B-LF | WING - LEFT HAND FRONT 6 BLD. 9" SPC. | N/A |
| | MW1-06B-RR | WING - RIGHT HAND REAR 6 BLD. 9" SPC. | N/A |
| | MW1-06B-LR | WING - LEFT HAND REAR 6 BLD. 9" SPC. | N/A |
| | MW1-07B-RF | WING - RIGHT HAND FRONT 7 BLD. 9" SPC. | N/A |
| | MW1-07B-LF | WING - LEFT HAND FRONT 7 BLD. 9" SPC. | N/A |
| | MW1-07B-RR | WING - RIGHT HAND REAR 7 BLD. 9" SPC. | N/A |
| | MW1-07B-LR | WING - LEFT HAND REAR 7 BLD. 9" SPC. | N/A |
| | MW1-08B-RF | WING - RIGHT HAND FRONT 8 BLD. 9" SPC. | N/A |
| | MW1-08B-LF | WING - LEFT HAND FRONT 8 BLD. 9" SPC. | N/A |
| | MW1-08B-RR | WING - RIGHT HAND REAR 8 BLD. 9" SPC. | N/A |
| | MW1-08B-LR | WING - LEFT HAND REAR 8 BLD. 9" SPC. | N/A |
| | MW1-09B-RF | WING - RIGHT HAND FRONT 9 BLD. 9" SPC. | N/A |
| | MW1-09B-LF | WING - LEFT HAND FRONT 9 BLD. 9" SPC. | N/A |
| | MW1-09B-RR | WING - RIGHT HAND REAR 9 BLD. 9" SPC. | N/A |
| | MW1-09B-LR | WING - LEFT HAND REAR 9 BLD. 9" SPC. | N/A |
| | OM2-01F | FRONT GANG - CENTER SECTION - 10 1/2" SPC. | 1456.0 LBS. |
| | OM2-01R | REAR GANG - CENTER SECTION - 10 1/2" SPC. | 1456.0 LBS. |
| | OM2-28 | WING - RIGHT HAND FRONT , 4 BLD. 10 1/2" SPC. | N/A |
| | OM2-29 | WING - LEFT HAND REAR , 4 BLD. 10 1/2" SPC. | N/A |
| | OM2-30 | WING - RIGHT HAND FRONT, 5 BLD. 10 1/2" SPC. | 926.0 LBS |
| | OM2-31 | WING - LEFT HAND FRONT, 5 BLD. 10 1/2" SPC. | 926.0 LBS. |
| | OM2-32 | WING - RIGHT HAND REAR, 5 BLD. 10 1/2" SPC. | N/A |
| | OM2-33 | WING - LEFT HAND REAR, 5 BLD. 10 1/2" SPC. | N/A |
| | OM2-34 | WING - RIGHT HAND FRONT, 6 BLD. 10 1/2" SPC. | N/A |
| | OM2-35 | WING - LEFT HAND FRONT, 6 BLD. 10 1/2" SPC. | N/A |
| | OM2-36 | WING - RIGHT HAND REAR, 6 BLD. 10 1/2" SPC. | N/A |
| | OM2-37 | WING - LEFT HAND REAR, 6 BLD. 10 1/2" SPC. | N/A |
| | OM2-38 | WING - RIGHT HAND FRONT, 7 BLD. 10 1/2" SPC. | N/A |
| | OM2-39 | WING - LEFT HAND FRONT, 7 BLD. 10 1/2" SPC. | N/A |
| | OM2-40 | WING - RIGHT HAND REAR, 7 BLD. 10 1/2" SPC. | N/A |
| | OM2-41 | WING - LEFT HAND REAR, 7 BLD. 10 1/2" SPC. | N/A |
| | OM2-42 | WING - RIGHT HAND FRONT, 8 BLD. 10 1/2" SPC. | N/A |
| | OM2-43 | WING - LEFT HAND FRONT, 8 BLD. 10 1/2" SPC. | N/A |
| | OM2-44 | WING - RIGHT HAND REAR, 7 BLD. 10 1/2" SPC. | N/A |
| | OM2-45 | WING - LEFT HAND REAR, 8 BLD. 10 1/2" SPC. | N/A |



GANG WING ASSEMBLY


| REF# | PART # | DESCRIPTION | WT/LB. |
|------|--------------------------|--|-----------------|
| 1 | MW1-24 | CONTROL ARM | 36.5 LBS. |
| 2 | MW1-28 | PIN LOCK DOWN | 2.5 LBS. |
| 2b | CS38212-5 LW38 N38 | BOLT - 3/8" NC. X 2 1/2" LG. GR. 5 LOCK WASHER - 3/8" NUT - 3/8" | N/A |
| 3 | MW1-33 | PIVOT - BRACKET - LOCK DOWN | 9.0 LBS. |
| 4 | MW1-32 | LINK - LOCK DOWN | 10.5 LBS. |
| 5 | MW1-29 | LOCK DOWN TOGGLE | 7.5 LBS. |
| 6 | MW1-35 CP5163 | PIN - LOCK DOWN COTTER PIN - 5/16" X 3" LG. | 1.0 LBS. |
| 7 | MW1-34 CP5163 | PIN - LOCK DOWN COTTER PIN - 5/16" X 3" LG. | 1.0 LBS. |
| 8 | MW1-36 CP5163 | PIN-LOCK DOWN COTTER PIN - 5/16" X 3" LG. | 1.0 LBS. N/A |

| REF# | PART # | DESCRIPTION | WT/LB. |
|-------------|---------------|--|---------------|
| 9 | CS114412-5 | BOLT - 1 1/4" NC. X 4 1/2" LG. GR. 5 | |
| | LW114 | LOCK WASHER - 1 1/4" | 0.1 LBS. |
| | N114 | NUT - 1 1/4" | 0.6 LBS. |
| 10 | MW1-07 | BOLT - TURN BUCKLE L.H. THRDS. | 4.5 LBS |
| 11 | JN112 | JAM NUT - 1 1/2" | 0.6 LBS. |
| | 7000 | GREASE ZERK | |
| 12 | MW1-08 | TURN BUCKLE - BODY | 4.2 LBS. |
| 13 | MW1-06 | BOLT - TURN BUCKLE R.H. THRDS. | 26.5 LBS. |
| 14 | MW1-25 | PIN - TRANSPORT W/CABLE | N/A |
| 15 | MW1-09 | PIN - HYD. CYL. TO PIVOT ARMS | 1.9 LBS. |
| | CP5163 | COTTER PIN - 5/16" X 3" LG. | N/A |
| 16 | MW1-11 | PIVOT - ARM LEFT HAND | 33.3 LBS. |
| 17 | CS114712-5 | BOLT - 1 1/4" NC. X 7 1/2" LG. GR. 5 | 3.2 LBS. |
| 18 | MW1-12 | PIVOT - ARM RIGHT HAND | 33.3 LBS. |
| 19 | JJ-90 | HYD. CYLINDER - 3" DIA. X 12" STRK. (W/PINS) | 30.0 LBS. |
| 20 | MW1-37 | HYD. CYLINDER - 2 1/4" DIA. X 4" STRK. (LOCK CYL.) | N/A |
| 21 | MW1-10 | PIN - WING PIVOT | 12.1 LBS |
| 22 | 1641 | GREASE ZERK -1/4-28 | N/A |



ON-80NRS-KIT


| REF# | PART # | DESCRIPTION | WT/LB. |
|------|----------|----------------------------------|--------|
| 1 | ON-138 | BRG. - HOUSING | |
| 2 | ON-136 | BRG. - SHIELDS | |
| 3 | RPO-103I | BRG. 1 1/2" SQ. RELUBE (W211PP5) | |
| 4 | RPO-99 | SNAP RING | |



CLEANER ASSEMBLY


| REF# | PART # | DESCRIPTION | WT/LB. |
|------|------------|---|----------|
| 1 | ON-157 | THRASH PLATE - 9" SPACING | 5.0 LBS. |
| | FXSL-230 | THRASH PLATE - 10 1/2" SPACING | 5.8 LBS. |
| 2 | ON-158 | HOLDER - THRASH PLATE (ON-157) | 4.2 LBS. |
| | FXSL-229 | HOLDER - THRASH PLATE (FXSL-230) | 4.0 LBS. |
| 3 | CB12112-5 | CARRIAGE BOLT - 1/2" NC. X 1 1/2" LG. GR. 5 | 0.2 LBS. |
| | LW12 | LOCK WASHER - 1/2" | 0.1 LBS. |
| | N12 | NUT - 1/2" | 0.1 LBS. |
| 4 | CS58214-5 | BOLT - 5/8" NC. X 2 1/4" LG. GR. 5 | 0.3 LBS. |
| 5 | LW58 | LOCK WASHER - 5/8" | 0.1 LBS. |
| 6 | N58 | NUT - 5/8" | 0.1 LBS. |
| 7 | OFH-300-F | CLEANER ARM - FRONT HVY. DTY. | N/A |
| | OFHX-300-F | CLEANER ARM - FRONT (WHEN USING 28" DISC BLADES ONLY) | N/A |
| | OFH-300-R | CLEANER ARM - REAR HVY. DTY. | N/A |
| | OFHX-300-R | CLEANER ARM - REAR (WHEN USING 28" DISC BLADES ONLY) | N/A |
| 8 | OF-309 | BLADE CLEANER | 2.0 LBS. |

| REF# | PART # | DESCRIPTION | WT/LB. |
|-------------------------------|---------------|---|---------------|
| 9 | CB381-5 | CARRIGGE BOLT - 3/8" NC. X 1" LG. GR. 5 | N/A |
| | LW38 | LOCK WASHER - 3/8" | N/A |
| | N38 | NUT - 3/8" | N/A |
| 10 | OF-307-W | CAP - CLEANER BAR W/SHIM (ON CENTER GANGS ONLY) | N/A |
| | OF-307 | CAP - CLEANER BAR - STANDARD | N/A |
| 11 | CS34412-5 | BOLT - 3/4" NC. X 4 1/2" LG. GR. 5 | N/A |
| | LW34 | LOCK WASHER - 3/4" | N/A |
| | N34 | NUT - 3/4" | N/A |
| 12 | OF-305 | CAP CLEANER ARM | 0.5 LBS. |
| 13 | CB12312-5 | CARRIGE BOLT - 1/2" NC. X 3 1/2" LG. GR. 5 | N/A |
| | LW12 | LOCK WASHER - 1/2" | N/A |
| | N12 | NUT - 1/2" | N/A |
| 14 | MWC-1 | CLEANER BAR - CENTER GANG (WING DISC) 133" LG. | N/A |
| | MWC-4 | CLEANER BAR - 4 BLADE , 9" SPC. 39" LG. | N/A |
| | MWC-5 | CLEANER BAR - 5 BLADE , 9" SPC.48" LG. | N/A |
| | MWC-6 | CLEANER BAR - 6 BLADE , 9" SPC. 57" LG. | N/A |
| | MWC-7 | CLEANER BAR -7 BLADE , 9" SPC. 66" LG. | N/A |
| | MWC-8 | CLEANER BAR - 8 BLADE , 9" SPC. 76" LG. | N/A |
| | MWC-9 | CLEANER BAR - 9 BLADE , 9" SPC. 85" LG. | N/A |
| | OMC-4 | CLEANER BAR - 4 BLADE , 10 1/2" SPC. 44" LG. | N/A |
| | ONC-5 | CLEANER BAR - 5 BLADE , 10 1/2" SPC. 55" LG. | N/A |
| | OMC-6 | CLEANER BAR -6 BLADE , 10 1/2" SPC. 66" LG. | N/A |
| | OMC-7 | CLEANER BAR -7 BLADE , 10 1/2" SPC. 77" LG. | N/A |
| | OMC-8 | CLEANER BAR - 8 BLADE , 10 1/2" SPC. 88" LG. | N/A |
| OPTIONAL CLEANER ASSY. | | | |
| | OFH-300A-F | CLEANER ASSY. - HVY. DTY. | N/A |
| | OFH-300A-R | CLEANER ASSY. - HVY. DTY. | N/A |
| | OFHX-300A-F | CLEANER ASSY. - HVY. DTY. (USE W/28" D BLD.) | N/A |
| | OFHX-300A-R | CLEANER ASSY. - HVY. DTY. (USE W/28" D BLD.) | N/A |



OFMX-W HYDRAULIC SYSTEM


1.

**FPT-8**

2.

**FP-FP90-8-8**


3.

**PF800-S**


4.

**FP-FPX-8-8**

5.


**MW1-38 THROUGH MW1-49**

6.

**MW1-97**

HYDRAULIC ATTATCHMENTS

| REF# | PART # | DESCRIPTION | WT/LB. |
|------|-------------|---|----------|
| 1 | FPT-8 | FEMALE PIPE TEE - 1/2" FP - 1/2" FP - 1/2" FP | 0.5 LBS |
| 2 | FP-FP90-8-8 | FEMALE PIPE - FEMALE PIPE 90 | 0.5 LBS. |
| 3 | PF800-S | FLOW VALVE CONTROL | 1.5 LBS. |
| 4 | FP-FPX-8-8 | FEMALE PIPE - FEMALE PIPE SWIVEL - STRAIGHT | 0.5 LBS. |
| 5 | MW1-38 | HYDRAULIC PIPE - WING FOLD 17 1/2" LG. | |
| | MW1-39 | HYDRAULIC PIPE - WING FOLD 19 1/2" LG. | |
| | MW1-40 | HYDRAULIC PIPE - WING FOLD 20" LG. | |
| | MW1-41 | HYDRAULIC PIPE - WING FOLD 23" LG. | |
| | MW1-42 | HYDRAULIC PIPE - WING FOLD 34 1/2" LG. | |
| | MW1-43 | HYDRAULIC PIPE - WING FOLD 36 1/2" LG. | |
| | MW1-44 | HYDRAULIC PIPE - WING FOLD 37 1/2" LG. | |
| | MW1-45 | HYDRAULIC PIPE - WING FOLD 42" LG. | |
| | MW1-46 | HYDRAULIC PIPE - WING FOLD 45" LG. | |
| | MW1-47 | HYDRAULIC PIPE - WING FOLD 74" LG. | |
| | MW1-48 | HYDRAULIC PIPE - WING FOLD 84" LG. | |
| | MW1-49 | HYDRAULIC PIPE - WING FOLD 111" LG. | |
| 6 | MW1-97 | SEQUENCING VALVE | |



| REF# | PART # | DESCRIPTION | WT/LB. |
|------|----------------|---|--------|
| A. | JJ-90 | HYD. CYLINDER 3" DIA. X 12" STRK. (W/PINS) | |
| 1a. | HYDRAULIC HOSE | CONNECT BOTTOM LEFT OF SEQUENCING VALVE C. TO LEFT SIDE OF HYDRAULIC A. | |
| 2a. | HYDRAULIC HOSE | CONNECT TOP LEFT OF SEQUENCING VALVE C. TO RIGHT SIDE OF HYDRAULIC A | |
| B. | MW-1-37 | HYD. CYLINDER 2 1/4" DIA. X 4" STRK. (LOCK CYL.) | |
| 1b. | HYDRAULIC HOSE | CONNECT BOTTOM RIGHT OF SEQUENCING VALVE C. TO LEFT SIDE OF HYDRAULIC B. | |
| 2b. | HYDRAULIC HOSE | CONNECT TOP RIGHT OF SEQUENCING VALVE C. TO RIGHT SIDE OF HYDRAULIC B. | |
| C. | MW1-97 | SEQUENCING VALVE | |